

NO.45 HI-FOAM INTERIOR SHAMPOO

Page: 1 Compilation date: 06/10/2005 Revision date: 23/04/2015

Revision No: 9

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: NO.45 HI-FOAM INTERIOR SHAMPOO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Cleaner for use on motor vehicle interiors

1.3. Details of the supplier of the safety data sheet

Company name: AUTOGLYM

	Works Road	
	Letchworth	
	Herts	
	SG6 1LU	
	UK	
Tel:	+44 (0) 1462 677766	
Fax:	+44 (0) 1462 677712	
Email:	sds@autoglym.co.uk	

1.4. Emergency telephone number

Emergency tel: +44 (0) 1462 489498 (24Hrs)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: F+: R12

Classification under CLP: Flam. Aerosol 1: H222; -: H229

Most important adverse effects: Extremely flammable.

2.2. Label elements

Label elements under CLP:	
Hazard statements:	* H222: Extremely flammable aerosol.
	H229: Pressurised container: May burst if heated
Signal words:	* Danger
Hazard pictograms:	* GHS02: Flame
	•



NO.45 HI-FOAM INTERIOR SHAMPOO

	Page: 2
Precautionary statements:	* P102: Keep out of reach of children.
	P210: Keep away from heat/sparks/open flames/hot surfaces No smoking.
	P211: Do not spray on an open flame or other ignition source.
	P251: Pressurized container: Do not pierce or burn, even after use.
	P260: Do not breathe dust/fumes/gas/mist/vapours/spray.
	P262: Do not get in eyes, on skin, or on clothing.
	P271: Use only outdoors or in a well-ventilated area.
	P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
Label elements under CHIP:	
Hazard symbols:	Extremely flammable.
Risk phrases:	R12: Extremely flammable.
Safety phrases:	S23: Do not breathe.
	S24/25: Avoid contact with skin and eyes.
	S51: Use only in well-ventilated areas.
Precautionary phrases:	Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.
	Do not pierce or burn, even after use.
	Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition -
	No smoking. Keep out of the reach of children.
2.3. Other hazards	

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALTRO CLEAN UP SOLVENT

EINECS	CAS	CHIP Classification	CLP Classification	Percent
200-662-2	67-64-1	F: R11; Xi: R36; -: R66; -: R67	STOT SE 3: H336; Eye Irrit. 2: H319; Flam.	1-10%
			Liq. 2: H225	

C9-11 ALCOHOL ETHOXYLATE

		-	68439-45-2	Xn: R22; Xi: R41	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%
--	--	---	------------	------------------	--------------------------------------	-------

NO.45 HI-FOAM INTERIOR SHAMPOO

Page: 3

	106-97-8	F+: R12	Flam. Gas 1: H220; Press. Gas: H280	1-10%
	Contains	<5% Non-ionic surfactants		
	Contains.	Perfumes		
ection 4: First aid	l measures			
4.1. Description o	f first aid me	easures		
Sk	kin contact:		nes and footwear immediately unless stuck to skin. Drenc	h the
		-	er for 10 minutes or longer if substance is still on skin.	
E			ter for 15 minutes. Consult a doctor.	
	Ingestion:	Do not induce vomiting. If con	scious, give half a litre of water to drink immediately. Con	nsult a
		doctor.		
	Inhalation:	Remove casualty from exposu	re ensuring one's own safety whilst doing so. Consult a de	octor.
4.2. Most importa	nt symptom	ns and effects, both acute an	d delayed	
Sł	kin contact:	There may be mild irritation at	t the site of contact.	
E	ye contact:	There may be irritation and re	dness.	
		-	e will be swallowed due to its physical properties.	
		Drowsiness or mental confusion		
4.3. Indication of a	any immedia	ate medical attention and sp	pecial treatment needed	
nmediate / special	treatment:	Not applicable.		
ection 5: Fire-figh	nting meas	ures		
	media			
5.1. Extinguishing	mound			
			spray. Carbon dioxide. Dry chemical powder. Use water	spray to
Extinguish	ning media:	cool containers.		spray to
Extinguish	ning media:			spray to
Extinguish	ning media: ds arising fro	cool containers. om the substance or mixtur		
Extinguish	ning media: ds arising fro	cool containers. om the substance or mixtur Highly flammable. In combustic	e	
Extinguish	ning media: ds arising fro re hazards:	cool containers. om the substance or mixtur Highly flammable. In combustic	e on emits toxic fumes. Forms explosive air-vapour mixture	
Extinguish 5.2. Special hazard Exposu 5.3. Advice for fire	ning media: ds arising fro re hazards: e-fighters	cool containers. om the substance or mixtur Highly flammable. In combustio may travel considerable distanc	e on emits toxic fumes. Forms explosive air-vapour mixture ce to source of ignition and flash back.	e. Vapour
Extinguish 5.2. Special hazard Exposu 5.3. Advice for fire	ning media: ds arising fro re hazards: e-fighters	cool containers. om the substance or mixtur Highly flammable. In combustic may travel considerable distance Wear self-contained breathing	e on emits toxic fumes. Forms explosive air-vapour mixture	e. Vapour
Extinguish 5.2. Special hazard Exposu 5.3. Advice for fire	ning media: ds arising fro re hazards: e-fighters ire-fighters:	cool containers. om the substance or mixtur Highly flammable. In combustic may travel considerable distance Wear self-contained breathing and eyes.	e on emits toxic fumes. Forms explosive air-vapour mixture ce to source of ignition and flash back.	e. Vapour
Extinguish 5.2. Special hazard Exposu 5.3. Advice for fire Advice for fi	ning media: ds arising fro re hazards: e-fighters ire-fighters: ital release	cool containers. om the substance or mixtur Highly flammable. In combustion may travel considerable distance Wear self-contained breathing and eyes. measures	e on emits toxic fumes. Forms explosive air-vapour mixture ce to source of ignition and flash back. apparatus. Wear protective clothing to prevent contact	e. Vapour
Extinguish 5.2. Special hazard Exposu 5.3. Advice for fire Advice for fi	ning media: ds arising fro re hazards: e-fighters ire-fighters: ital release	cool containers. om the substance or mixtur Highly flammable. In combustic may travel considerable distance Wear self-contained breathing and eyes.	e on emits toxic fumes. Forms explosive air-vapour mixture ce to source of ignition and flash back. apparatus. Wear protective clothing to prevent contact	e. Vapour

NO.45 HI-FOAM INTERIOR SHAMPOO

immediately. Eliminate all sources of ignition. Turn leaking containers leak-side up to prevent the

escape of liquid.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Do not use equipment in clean-up procedure which may produce sparks. Absorb into dry earth or sand. Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Refer to section 13 of SDS for disposal considerations.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a
	source of ignition.
Respiratory protection:	Respiratory protection not required.
Hand protection:	Nitrile gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

NO.45 HI-FOAM INTERIOR SHAMPOO

Page: 5

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
--	--

State:	Aerosol		
Colour:	Colourless		
Odour:	Pleasant		
Evaporation rate:	No data available.		
Oxidising:	No data available.		
Solubility in water:	Soluble		
Viscosity:	No data available.		
Boiling point/range°C:	No data available.	Melting point/range°C:	No data available.
Flammability limits %: lower:	1.8	upper:	13
Flash point°C:	-40	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	495	Vapour pressure:	No data available.
Relative density:	No data available.	pH:	No data available.
VOC g/l:	No data available.		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

NO.45 HI-FOAM INTERIOR SHAMPOO

			Page: 6
Section 11: Toxicological information			
11.1. Information on toxicological effects			
Hazardous ingredients:			
ALTRO CLEAN UP SOLVENT			
ORAL RAT	LD50	5800	mg/kg
Toxicity values: No data available			
Symptoms / routes of exposure			
Skin contact: There may be mi	ld irritation at the site of contact.		
Eye contact: There may be irr			
Ingestion: It is unlikely that	this substance will be swallowed du	e to its physical proper	ties.
Inhalation: Drowsiness or m	ental confusion may occur.		
Section 12: Ecological information			
12.1. Toxicity			
Hazardous ingredients:			
ALTRO CLEAN UP SOLVENT			
Daphnia magna	48H EC50	10	mg/l
12.2. Persistence and degradability			
Persistence and degradability: Biodegradable.			
12.3. Bioaccumulative potential			
Bioaccumulative potential: No bioaccumulat	ion potential.		
12.4. Mobility in soil			
Mobility: Readily absorbed	into soil.		
12.5. Results of PBT and vPvB assessment			
PBT identification: This product is n	ot identified as a PBT/vPvB substand	ce.	
12.6. Other adverse effects			
Other adverse effects: Negligible ecotox	kicity.		
Section 13: Disposal considerations			
13.1. Waste treatment methods			
Waste code number: 160505			

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

NO.45 HI-FOAM INTERIOR SHAMPOO

Page: 7

Marine pollutant: No

Section 14: Transport information

14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: AEROSOLS

14.3. Transport hazard class(es)

Transport class: 2

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the

supplier.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H220: Extremely flammable gas.
	H222: Extremely flammable aerosol.
	H225: Highly flammable liquid and vapour.
	H229: Pressurised container: May burst if heated
	H302: Harmful if swallowed.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
	R11: Highly flammable.

NO.45 HI-FOAM INTERIOR SHAMPOO

Page: 8

	R12: Extremely flammable.
	R22: Harmful if swallowed.
	R36: Irritating to eyes.
	R41: Risk of serious damage to eyes.
	R66: Repeated exposure may cause skin dryness or cracking.
	R67: Vapours may cause drowsiness and dizziness.
Legend to abbreviations:	PNEC = predicted no effect level
	DNEL = derived no effect level
	LD50 = median lethal dose
	LC50 = median lethal concentration
	EC50 = median effective concentration
	IC50 = median inhibitory concentration
	dw = dry weight
	bw = body weight
	cc = closed cup
	oc = open cup
	MUS = mouse
	GPG = guinea pig
	RBT = rabbit
	HAM = hamster
	HMN = human
	MAM = mammal
	PGN = pigeon
	IVN = intravenous
	SCU = subcutaneous
	SKN = skin
	DRM = dermal
	OCC = ocular/corneal
	PCP = phycico-chemical properties
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and shall
	be used only as a guide. This company shall not be held liable for any damage resulting from
	handling or from contact with the above product.